

**Free Response Practice #16**  
**Calculator Permitted**

Consider the function  $f(x) = 9x^4 + 21x^3 + 7x^2 + x - 2$  to answer the following questions.

a. Find  $f(-2.5)$  and  $f(-1.5)$ . What do these values suggest about the graph of  $f(x)$  on the interval  $-2.5 < x < -1.5$ ?

b. Use Descartes' Rule of Signs to determine the number of possible positive, negative, zero, and imaginary roots of  $f(x)$ . Make a chart that summarizes your results. Then, after investigating the graph of  $f(x)$ , which of the combinations from the table is correct and explain why.



c. What are all of the possible rational roots of  $f(x)$ ? Of these possible roots, which two appear to be the most likely possible roots?

d. Find the roots of  $f(x)$ , real and/or imaginary. Show all of your work.

Roots of  $f(x)$ : \_\_\_\_\_

**Free Response Practice #17**  
**Calculator NOT Permitted**

Pictured below are graphs of two different polynomial functions. All of the zeros of each function are real—none are imaginary. Answer the questions that follow about the two graphs,  $f(x)$  and  $g(x)$ .



a. Based on the graphs, what types of polynomial functions are  $f(x)$  and  $g(x)$ ? Explain your reasoning.

b. What can be concluded about the value of  $a$ , if  $a$  is the leading coefficient in the equation of  $g(x)$ ? Explain your reasoning.

c. How many points of inflection does the graph of  $f(x)$  have? Give a reason for your answer.

d. If  $d$  represents the constant term in the equation of  $g(x)$ , what can be concluded about the value of  $d$ ? Explain your reasoning.

**Free Response Practice #18**  
**Calculator NOT Permitted**

A function,  $g(x)$ , has a root of  $x = 2i$  and a root of  $x = 3$ , which has a multiplicity of 2.

a. Find an equation of  $g(x)$ .

b. Determine the left and right hand behavior of  $g(x)$ . Justify your reasoning.

c. A quartic function in the form  $f(x) = ax^4 + bx^3 + cx^2 + dx + e$  is such that the coefficients of the quadratic and linear terms are 10 and  $-18$ , respectively. Additionally,  $f(0) = 9$  and  $x = 1$  is a root of multiplicity of 2. What is the value of  $(a + b)$ ?

**Free Response Practice #19**  
**Calculator NOT Permitted**

$x$	-3	-2	0	1	3	4
$F(x)$	50	16	-4	-2	-4	-20

The table above shows function values of a cubic polynomial function,  $F(x)$ . The function has two distinct zeros,  $x = a$  and  $x = b$ , such that  $a < 0$  and  $b > 0$ . Additionally, one of the zeros has a multiplicity of two.

a. Determine the left and right hand behavior of  $F(x)$  based on the table of values. Give a reason for your answers.

b. What can be said about the leading coefficient of  $F(x)$ ? Justify your reasoning

c. Between what two  $x$  – values in the table does the zero  $x = a$  lie? What is its multiplicity? Justify your reasoning.

d. Between what two  $x$  – values in the table does the zero  $x = b$  lie? What is its multiplicity? Justify your reasoning.